


GROUP:	8AL "5"
FORM:	125-92AJ
FILE:	Alternator Parts List Section
DATE:	December, 1988

PRODUCTS COVERED


MODEL	VOLTS	AMPS
Various See Chart		



* PART OF 118-43 KIT

MODEL NO.	SALES NO.	1 HSNG FRONT	2 ROTOR ASSEM	3 STATOR ASSEM	4 HSNG REAR	5 FAN	6 PULLEY	7 BRNG FRONT	8 BRNG REAR	9 FR.BRNG RET.	10 R.BRNG RET.	11 DIODE FIELD	12 DIODE REC.NEG
8AL2010K		114-3	112-2	113-19	114-104	107-8	107-3	111-21	111-23	111-3	111-25	101-130	101-2
8AL2011F	110-139	114-4	112-1	113-1	114-104	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-2
8AL2012F		114-4	112-1	113-1	114-104	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-2
8AL2013F		114-4	112-1	113-1	114-104	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-2
8AL2014F		114-4	112-1	113-1	114-104	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-2
8AL2015K		114-3	112-2	113-19	114-104	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-2
8AL2016K	110-113	114-3	112-2	113-19	114-104	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-2
8AL2017F		114-1	112-1	113-1	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-2
8AL2018K		114-1	112-2	113-19	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-2
8AL2021L	110-123	114-4	112-29	113-9	114-104	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-152
8AL2024L	110-140	114-3	112-29	113-9	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-152
8AL2025F	110-143	114-4	112-1	113-1	114-104	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-2
8AL2026F	110-157	114-4	112-1	113-1	114-104	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-2
8AL2027L	110-162	114-4	112-29	113-9	114-104	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-152
8AL2031F	110-151	114-4	112-1	113-1	114-98	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-126
8AL2032K	110-149	114-4	112-2	113-19	114-98	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-126
8AL2033L	110-152	114-4	112-29	113-9	114-98	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-152
8AL2037F	110-187	114-4	112-1	113-1	114-104	107-68		111-21	111-23	111-3	111-25	101-130	101-126
8AL2038F	110-218	114-93	112-29	113-1	114-104	107-68		111-21	111-23	111-3	111-25	101-130	101-2
8AL2040F	110-165	114-4	112-1	113-1	114-104	107-8	107-61	111-21	111-23	111-3	111-25	101-130	101-1
8AL2044L	110-183	114-4	112-29	113-9	114-104	107-8	107-5	111-21	111-23	111-3	111-25	101-130	101-152
8AL2045L	110-164	114-4	112-29	113-9	114-98	107-8		111-21	111-23	111-3	111-25	101-130	101-167
8AL2046F		114-93	112-1	113-1	114-98	107-8		111-21	111-23	111-3	111-25	101-130	101-7
8AL2047F		114-93	112-1	113-1	114-104	107-9		111-21	111-23	111-3	111-25	101-130	101-1
8AL2048F		114-55	112-1	113-1	114-104	107-8	107-77	111-21	111-23	111-3	111-25	101-130	101-2
8AL2049K		114-55	112-2	113-19	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-2
8AL2050F		114-4	112-1	113-1	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-1
12N51B		114-3	112-2	113-2	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-2
12N62		114-3	112-2	113-9	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-152
12N37B		114-3	112-1	113-1	114-104	107-8		111-21	111-23	111-3	111-25	101-130	101-2

Important: The information contained in this bulletin is intended for use by trained, professional technicians who have the proper tools, equipment, and training to perform the required maintenance described above. This information is NOT intended for 'do-it-yourselfers', and you should not assume that this information applies to your equipment. If you have any questions regarding this information please visit our website at www.prestolite.com, or contact our technical service department at:



GROUP: 8AL "5"
FORM: 125-92AJ

MODEL NO.	SALES NO.	13 DIODE REC.POS	14 BRUSH ASSEM	15 SPACER FAN&PUL	16 WDRFF KEY	17 SHIELD DIRT	18 CAP OUTPUT	19 TERM GROUND	20 CAP FIELD	21 SPACER FLD DIODE	22 INSUL SQ	23 SLEEVE INSUL	24 SLEEVE INSUL
8AL2010K	110-6	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-46		115-26	115-27
8AL2011F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2012F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2013F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2014F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2015K	110-7	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2016K		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2017F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2018K		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2021L		101-183	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2024L	110-67	101-183	103-15	120-152	120-7	103-13	102-26		102-31	115-3		115-26	115-27
8AL2025F	110-7	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2026F	110-7	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2027L	110-86	101-183	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3		115-26	115-27
8AL2031F	110-35	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3	115-7	115-26	115-27
8AL2032K	110-10	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-3	115-7	115-26	115-27
8AL2033L	110-51	101-183	103-15	120-152	120-7	103-13	102-26	118-43	102-31	115-46	115-7	115-26	115-27
8AL2037F	110-30	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2038F	110-45	101-171	103-15	120-152	120-7	103-13	102-26		102-31			115-26	115-27
8AL2040F	110-7	101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2044L	110-7	101-183	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2045L	110-7	101-183	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2046F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2047F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2048F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2049K		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
8AL2050F		101-171	103-15	120-152	120-7	103-13	102-26	118-43	102-31			115-26	115-27
12N51B		101-171	103-15	120-152	120-7	103-13						115-26	115-27
12N62		101-183	103-15	120-152	120-7	103-13	102-26		102-31	115-46		115-26	115-27
12N37B		101-171	103-15	120-152	120-7	103-13						115-26	115-27

Important: The information contained in this bulletin is intended for use by trained, professional technicians who have the proper tools, equipment, and training to perform the required maintenance described above. This information is NOT intended for 'do-it-yourselfers', and you should not assume that this information applies to your equipment. If you have any questions regarding this information please visit our website at www.prestolite.com, or contact our technical service department at:

GROUP: 8AL "5"
FORM: 125-92AJ

KEY NO.	SALES NO.	DESCRIPTION	8AL2010K	8AL2011F	8AL2012F	8AL2013F	8AL2014F	8AL2015K	8AL2016K	8AL2017F	8AL2018K	8AL2021L	8AL2024L	8AL2025F	8AL2026F	8AL2027L	8AL2031F	8AL2032K	8AL2033L	8AL2037F	8AL2038F	8AL2040F	8AL2044L	8AL2045L	8AL2046F	8AL2047F	8AL2048F	8AL2049K	8AL2050F	12N51B	12N62	12N37B
BOLTS																																
25	120-1	THROUGH, 10-32 x 2-55/64"		4	4	4	4			4				4	4		4				4	4	4			4	4	4		4		4
25	120-143	THROUGH, 10-32 x 3-1/8"	4					4	4		4							4											4		4	
25	120-86	THROUGH, 10-32 x 3-5/16"										4	4			4			4				4	4							4	
26	120-93	CARRIAGE, 10-24 x 1-3/8"															1	1	1													
NUTS																																
27	120-342	HEX, 1/4-20 x 7/16"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
28	120-34	HEX, 10-24 x 3/8"	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
29	120-148	HEX, LOCK 10-24 x 3/8"	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
30	120-136	PULLEY MOUNTING, 5/8-18 x 5/16"	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31	120-150	SQUARE, 10-32	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
SCREWS																																
32	120-102	TAPPING, 8-32 x 1/2"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
43	120-208	TAPPING, 4-40 x 3/16"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
WASHERS																																
33	120-120	FLAT METAL, NO. 10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
35	115-3	INSULATOR, NO. 10 x 3/4" OD	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
36	115-10	INSULATOR, 1/4" x 3/4" OD	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
37	120-111	SPLIT LOCK, NO. 10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
39	120-137	SPLIT LOCK, 5/8"	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MISC.																																
40	116-98	CABLE ASSEMBLY, 2-3/4"															1	1	1													
41	115-21	INSULATOR, SLEEVE NO. 10															1	1	1													
42	118-43	TERMINAL, AC MALE															1	1	1													

Important: The information contained in this bulletin is intended for use by trained, professional technicians who have the proper tools, equipment, and training to perform the required maintenance described above. This information is NOT intended for 'do-it-yourselfers', and you should not assume that this information applies to your equipment. If you have any questions regarding this information please visit our website at www.prestolite.com, or contact our technical service department at: