

HM95R STARTER MOTORS RANGE






- Brand New - no surcharge / no core required
- 12V / 5kW and 24V / 7.5kW starters
- Original equipment design & quality across range
- Indexable relay options

**NEW
PRODUCT
RANGE!!!**

HM95R2001SE	12V	5.0kW	ER / G	12 (teeth)	46.75 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								INTERNATIONAL 10461005, 10461169, 10461171, 10461277, 10461385, 10461386, 10461769, 10478999, 10479034, 10479106, 10479250, 10479300, 19026028, 19026029, 1990319, 1993794, 1993865, 1993874, 1993928, 1993969, 8200005, 8200025, 8200107, 8200211, 8200217, 8200374, 8200836, 8200958, 8300005, 8300065 3593808C91, 3593808C92, 3808509C92 35259730, M95301H, HM95R2001SE-00-0000
HM95R2002SE	12V	5.0kW	ER / G	12 (teeth)	46.75 (Ø)	37.7 (PAR)	56.7 (ENG)	APPLICATION REFERENCES *
								VOLKSWAGEN 35259450, 35261135, 35262160, 35262870 M95302H 8048101
HM95R2003SE	12V	5.0kW	ER / G	10 (teeth)	39.8 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
 Indexable relay								CUMMINS 19026031, 61005266, 61006210, 61006211, 8200023, 8200077, 8200196, 8200235, 8200375, 8200571, 8200834, 8300024, 8300066 M009T50971, M009T50971ZX, M9T50971, M9T50971ZX D616005004 M95303H, HM95R2003SE-00-0000
HM95R2007SE	12V	5.0kW	ER / G	10 (teeth)	39.8 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								BLUE BIRD CUMMINS ISBe 00108907, 10062038 HM95R2006SE M95307H, HM95R2007SE-00-0000
HM95R2009SE	12V	5.0kW	ER / G	11 (teeth)	41.1 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
 Indexable relay								DAIMLER 8200739 M95309H, HM95R2009SE-00-0000

Manufacturer's numbers are for reference only. *

HM95R STARTER MOTORS RANGE

HM95R2012SE	12V	5.0kW	ER / G	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								BLUE BIRD 10010918, 10065296, 1935477 10461169, 1993969 61230712 HM95R2008SE, M95312H
HM95R2022SE	12V	5.0kW	ER / G	10 (teeth)	40.0 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5262350, 5363433, 5709341, 6304588 8200586, 8200837, 8201135 HM95R2016SE
HM95R2023SE	12V	5.0kW	ER / G	10 (teeth)	40.0 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5287960, 5363435, 6304590 8200778, 8201137 HM95R2017SE
HM95R3002SE	24V	7.5kW	ER / G	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5364880 M95402H, M105R3004SE
HM95R3011SE	24V	7.5kW	ER / G	12 (teeth)	37.2 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								ALEXANDER DENNIS CUMMINS DAF 651997, 656614, 658193, 659006, CS4010 859532, 860606, 859532Z, 858217Z, ZMS4-400K, 35261395, 35261635, M95411H, MS4-400, MS4-401
HM95R3012SE	24V	7.5kW	ER / G	10 (teeth)	39.8 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS ISB SUPACAT M95412H

Indexable relay

Manufacturer's numbers are for reference only. *

HM95R STARTER MOTORS RANGE

HM95R3013SE	24V	7.5kW	ER / G	12 (teeth)	37.2 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
 <p>Indexable relay</p>								CUMMINS ISB SUPACAT 70-05-5008 M95413H Similar to HM95R3011SE without B- terminal.
HM95G3014SE	24V	7.5kW	ER / G	10 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
 <p>Indexable relay, wadeable.</p>								CUMMINS ISB SUPACAT 70-05-5018
HM95R3014SE	24V	7.5kW	ER / G	10 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
 <p>Indexable relay</p>								CUMMINS M95414H
HM95R3019SE	24V	7.5kW	ER / G	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
 <p>Indexable relay</p>								CUMMINS ISB M95419H Commercial applications
HM95R3041SE	24V	7.5kW	ER / G	10 (teeth)	39.8 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								ALEXANDER DENNIS - DART - ENVIRO CUMMINS WRIGHTBUS YUTONG 4930605, 493060500 CEP00098, 101500011 GR459, MS4-404
HM95R3042SE	24V	7.5kW	ER / G	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								ALEXANDER DENNIS - ENVIRO 300 659093, 659093X 860360, 860360Z LNS452431, MS4-407, ZMS4-407

Manufacturer's numbers are for reference only. *

HM95R STARTER MOTORS RANGE

HM95R3050SE	24V	7.5kW	ER / G	12 (teeth)	43.8 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *	
 <p>Mitsubishi starter has 13th with 3.2mm offset. Prestolite starter has 12th with 1.7mm offset (100% compatible with OE)</p>								<p>MERCEDES-BENZ</p> <ul style="list-style-type: none"> - Actros - Arocs - Antos - Atego 3 (2013>>) 	<p>M009T66971, M9T66971, M009TD0571Z, M9TD0571Z M009TD0572ZX, M9TD0572ZX 0071511601, A0071511601, 0071511701, A0071511701, 0071512601, A0071512601, 0071512701, A0071512701, 0071514301, A0071514301 11139173, 72483382, AZF4895, IS9483, MS888 DRS1098 VM100R3501SE</p>
HM95R3051SE	24V	7.5kW	ER / G	12 (teeth)	43.8 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *	
								<p>MAN TGA (12.4L)</p> <p>MAN TGS I / TGS II (12.4L)</p> <p>MAN TGX I / TGX II (12.4L)</p>	<p>51262017233, 51262017287, 51262019233, 51262019287 M009T84171, M009T84171AM, M009T87571, M009T87571AM, M9T84171, M9T84171AM, M9T87571, M9T87571AM M95451H</p>
HM95R3053SE	24V	7.5kW	ER / G	12 (teeth)	46.6 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *	
								<p>CUMMINS (6.7L ISBe engine)</p> <p>JCB</p>	<p>5565356 PROT-00075 HM95R3016SE</p>
HM95R3067SE	24V	7.5kW	ER / G	12 (teeth)	47.0 (Ø)	34.0 (PAR)	53.0 (ENG)	APPLICATION REFERENCES *	
 <p>Coming soon</p>								<p>VOLVO FE / FL</p> <p>RENAULT Trucks</p>	<p>21774085, 21774086, 22602913, 23287028 M009T67171, M009T67171AM, M009T67171ZX, M009T67172, M009T67172ZX, M009TD0171ZX, M009TD0181, M009TD0181AM, M009TD0181ZX, M9T67171, M9T67171AM, M9T67171ZX, M9T67172, M9T67172ZX, M9TD0171ZX, M9TD0181, M9TD0181AM, M9TD0181ZX S5020M, M95467H</p>
HM95R3068SE	24V	7.5kW	ER / G	12 (teeth)	47.0 (Ø)	45.0 (PAR)	63.5 (ENG)	APPLICATION REFERENCES *	
 <p>Coming soon</p>								<p>Ford F-Max truck</p>	<p>GC46-11000-AC M009T20571 M9T20571 M009T21071 M9T21071 M95468H</p>



Manufacturer's numbers are for reference only. *

HM95R STARTER MOTORS RANGE

HM95R3072SE	24V	7.5kW	ER / G	10 (teeth)	40.0 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5267912, 5363431, 5709339, 6304586 19026032, 3965282, 3978386, 8200024, 8200078, 8200373, 8200835, 8201133 HM95R3035SE
HM95R3073SE	24V	7.5kW	ER / G	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5267909, 5363429, 6304584 19026030, 3965284, 3978386, 8200026, 8200072, 8200370, 8200833, 8201131 HM95R3036SE
HM95R3074SE	24V	7.5kW	ER / G	10 (teeth)	40.0 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5262351, 5363434, 6304589 8200587, 8200838, 8201136 HM95R3037SE
HM95R3075SE	24V	7.5kW	ER / G	10 (teeth)	40.0 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS 5287961, 5363436, 6304591 8200779, 8201138 HM95R3039SE
HM95R3076SE	24V	7.5kW	ER / G	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								CUMMINS OTOKAR MS4-404C
HM95R3082SE	24V	6.5kW	ER / G	12 (teeth)	44.0 (Ø)	48.0 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *
								MAN TGA (10.5L) MAN TGS I (10.5L) MAN TGX I (10.5L) LRS04121 51262017238, 51262019238 M009T65571, M009T65571AM, M009TD1271, M009TD1271AM, M9T65571, M9T65571AM, M9TD1271, M9TD1271AM M90R3051SE M95482H

Manufacturer's numbers are for reference only. *

HM95R STARTER MOTORS RANGE

HM95R3801SE	24V	7.5kW	IR	12 (teeth)	46.7 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *	
								CUMMINS	MS4-405, MS4-405C HM95R3601SE, M95401H
HM95R3804SEM	24V	7.5kW	IR	12 (teeth)	37.2 (Ø)	47.5 (PAR)	66.5 (ENG)	APPLICATION REFERENCES *	
 <p>Fully marinised</p>								CUMMINS DAF	3975153, 4078800, 4930606, 5257544 MZH9195 857673, 857673Z, 859920, GR45/9, LNS452425, MS4-403 MS4-500A

Manufacturer's numbers are for reference only. *

USEFUL CONTACT DETAILS

Sales Office and Technical Support

Tel: +44 (0)20 8231 1137

Email: info@prestolite-eu.com

Service / Warranty Department

Tel: +44 (0)20 8231 1120

Fax: +44 (0)20 8231 1085

Email: warranty@prestolite-eu.com

Accounts Department

Tel: +44 (0)20 8231 1046 or 1053

Fax: +44 (0)20 8833 7185

Email: eu-accountsreceivable@prestolite-eu.com

Marketing

Tel: +44 (0)20 8231 1042

Fax: +44 (0)20 8575 9575

Email: sbiret@prestolite-eu.com